INDEX OF AUTHORS AND SUBJECTS

VOL. 86

Compiled by A.R. McGILL

Avian hybridization and allopatry in the region of the Einasleigh Uplands and Burdekin-Lynd Divide, north-eastern Queensland, 87-110

Avifauna of Niuafo'ou Island, Kingdom of Tonga, Notes on, 82-86

BAIRD, R.F., Tasmanian Native-hen *Gallinula mortierii*: the first Late Pleistocene record from Queensland, 121-122

BAKER-GABB, D.J., Ecological release and behavioural and ecological flexibility in Marsh Harriers on islands, 71-81

BELL, H.L., Sexual differences in the behaviour of wintering Golden Whistlers *Pachycephala pectoralis* at Wollomombi, N.S.W., 2-11

The participation by cuckoos in mixed-species flocks of insectivorous birds in south-eastern Australia, 249-253

BLABER, S.J.M., The distribution and abundance of sea-birds south-east of Tasmania and over the Soela Seamount during April 1985, 239-244

BLACK, A., The taxonomic affinity of the New Guinean Magpie *Gymnorhina tibicen papuana*, 65-70

Booby, Abbott's, the breeding biology of, 33-46

BOOTH, D.T., Crop and gizzard contents of two Mallee Fowl, 51-53

Breeding behaviour of the New Holland Honeyeater *Phylidonyris novaehollandiae*, 161-167

biology of the Crested Tern *Sterna bergii*, 23-32

ecology of Abbott's Booby *Sula abbotti*, 33-36

in three species of Fairy-wrens (*Malurus*): do helpers really help?, 131-138

of the White-rumped Swiftlet in Fiji, 214-227

seasons of birds in north-eastern Australia. First supplement, 1967-74, 111-113

BRIDGES, L., see FORD, H.A.

BROWN, R.S., NORMAN, F.I. & EADES, D.W., Notes on Blue and Kerguelen Petrels found beach-washed in Victoria, 1984, 228-238

CARR, G.W., see LOYN, R.H.

CHANDLER, C., see LOYN, R.H.

CLOSE, D.H. & McCRIE, N., Seasonal fluctuations of waders in Gulf of St Vincent, 1976-85, 145-154

Cormorant, Little Pied, Behaviour of, 118-121

CRACKNELL, G.S., Population counts and observations at the Emperor Penguin *Aptenodytes forsteri* colony at Amanda Bay, Antarctica, 113-117

Cuckoos, participation in mixed-species flocks of insectivorous birds in south-eastern Australia, 249-253

CULLEN, J.M., see MONTAGUE, T.L.

Curlew, Eastern, feed on *Macrophthalmus* and other ocypodid crabs in the Nakdong Estuary, South Korea, 155-160

DIAMOND, J.M., First record of the Large Grasshopper Warbler *Locustella fasciolata* from islands east of New Guinea, 249

Distribution and abundance of seabirds south-east of Tasmania and over the Soela Seamount during April 1985, 239-244

EADES, D.W., see BROWN, R.S.

Ecological release and behavioural and ecological flexibility in Marsh Harriers on islands, 71-81

Ecology of Abbott's Booby *Sula abbotti*, 33-46

Orange-bellied Parrots *Neophema chrysogaster* at their main remnant wintering site, 195-206

Editorial, 1

Einasleigh Uplands and Burdekin-Lynd Divide, Avian hybridization and allopatry, 87-110

Fairy-wren, Superb, Nest-site characteristics and reproductive success, 139-144

Fairy-wrens, three species, Breeding: do helpers really help?, 131-138

Falcon, Grey, *Falco hypoleucos*, Distribution, status, movements and breeding, 47-51

Feeding territory size in the New Holland Honeyeater *Phylidonyris novaehollandiae*, Determinants of, 180-185

FITZHERBERT, K., see MONTAGUE, T.L.

Foraging of birds in eucalypt woodlands in north-eastern New South Wales, 168-179

FORD, H.A., NOSKE, S. & BRIDGES, L., Foraging of birds in eucalypt woodlands in north-eastern New South Wales, 168-179

FORD, J., Phylogeny of the acanthizid warbler genus *Gerygone* based on numerical analysis of morphological characters, 12-22

Avian hybridization and allopatry in the region of the Einasleigh Uplands and Burdekin-Lynd Divide, north-eastern Queensland, 87-110

FORDHAM, R.A., see MATHEWS, C.W.

Gerygone, Phylogeny based on numerical analyses of morphological characters, 12-22

Grasshopper-Warbler, Large, First record from islands east of New Guinea, 249

Harrier, Marsh, Ecological release and behavioural and ecological flexibility on islands, 71-81

Honeyeater, Brown-backed, Growth and development in north Queensland, 245-248

New Holland, Breeding behaviour, 161-167;

Determinants of feeding territory size, 180-185

HULSMAN, K. see LANGHAM, N.P.

International Commission on Zoological Nomenclature, 110, 244

JAMES, P.C. & ROBERTSON, H.A., How useful are vocalizations in petrel systematics?, 186-189

LANE, B.A., see LOYN, R.H.

LAVERY, H.J., Breeding seasons of birds in north-eastern Australia. First supplement 1967-74, 111-113

LITTLE, L., see PETTIGREW, J.D.

LANGHAM, N.P., The effect of cyclone 'Simon' on terns nesting on One Tree Island, Great Barrier Reef, Australia, 53-57

LANGHAM, N.P. & HULSMAN, K., The breeding biology of the Crested Tern *Sterna bergii*, 23-32

LOYN, R.H., LANE, B.A., CHANDLER, C. & CARR, G.W., Ecology of Orange-bellied Parrots *Neophema chyrsogaster* at their main remnant wintering site, 195-206

Magpie, New Guinean, The taxonomic affinity, 65-70

MAHER, W.J., Growth and development of the Brown-backed Honeyeater *Ramsayornis modestus* in north Queensland, 245-248

Mallee Fowl, Crop and gizzard contents, 51-53

MATHEWS, C.W. & FORDHAM, R.A., Behaviour of the Little Pied Cormorant *Phalacrocorax melanoleucos*, 118-121

MONTAGUE, T.L., CULLEN, J.M. & FITZHERBERT, K., The diet of the Short-tailed Shearwater *Puffinus tenuirostris* during the breeding season, 207-213

McCRIE, N., see CLOSE, D.H.

McFARLAND, D.C., Breeding behaviour of the New Holland Honeyeater *Phylidonyris novaehollandiae*, 161-167;

Determinants of feeding territory size in the New Holland Honeyeater *Phylidonyris novaehollandiae*, 180-185

Native-hen, Tasmanian, the first Late Pleistocene record from Queensland, 121-122
NELSON, J.B. & POWELL, D., The breeding ecology of Abbott's Booby *Sula abbotti*, 33-46
Nest-site characteristics and reproductive success in the Superb Fairy-wren, 139-144
NIAS, R.C., Nest-site characteristics and reproductive success in the Superb Fairy-wren, 139-144
Niuafo'ou Island, Kingdom of Tonga, Notes on the avifauna, 82-86
NORMAN, F.I., see BROWN, R.S.
NOSKE, S., see FORD, H.A.
OLSEN, P.D. & OLSEN, J., Distribution, status, movements and breeding of the Grey Falcon *Falco hypoleucos*, 47-51
Owl, Australian Grass, Incubation period, 117-118
Parrot, Orange-bellied, Ecology at their main remnant wintering site, 195-206
Penguin, Emperor, Population counts and observations at Amanda Bay, Antarctica, 113-117
Petrel, Blue, beach-washed in Victoria, 1984, 228-238
Kerguelen, beach-washed in Victoria, 1984, 228-238
systematics, how useful are vocalizations?, 186-189
PETTIGREW, J.D., LITTLE, L. & STEGINGA, T., Incubation period in the Australian Grass Owl *Tyto capensis longimembris*, 117-118
Phylogeny of the acanthizid warbler genus *Gerygone* based on numerical analyses of morphological characters, 12-22
PIERSMA, T., Eastern Curlews *Numenius madagascariensis* feed on *Macrophthalmus* and other ocypodid crabs in the Nakdong Estuary, South Korea, 155-160
POWELL, D., see NELSON, J.B.
Reviews, 58-64, 123-130, 190-194, 254-258
RINKE, D., Notes on the avifauna of Niuafo'ou Island, Kingdom of Tonga, 82-86
ROBERTSON, H.A., see JAMES, P.C.
Seabirds south-east of Tasmania and over the Soela Seamount during April 1985, distribution and abundance, 239-244
Seasonal fluctuation of waders in Gulf of St Vincent, 1976-85, 145-154
Sexual differences in the behaviour of wintering Golden Whistlers *Pachycephala pectoralis* at Wollomombi, N.S.W., 2-11
Shearwater, Short-tailed, diet during the breeding season, 207-213
STEGINGA, T., see PETTIGREW, J.D.
Swiftlet, White-rumped, Breeding in Fiji, 214-227
TARBURTON, M.K., Breeding of the White-rumped Swiftlet in Fiji, 214-227
Taxonomic affinity of the New Guinean Magpie *Gymnorhina tibicen papuana*, 65-70
Tern, Crested, Breeding biology, 23-32
Terns, nesting on One Tree Island, Great Barrier Reef, Effect of cyclone 'Simon', 53-57
TIDEMANN, S.C., Breeding in three species of Fairy-wrens (*Malurus*); do helpers really help?, 131-138
Waders in Gulf of St Vincent, Seasonal fluctuations, 145-154
Whistler, Golden, Sexual differences in behaviour at Wollomombi, N.S.W., 2-11

INDEX OF SCIENTIFIC NAMES

VOL. 86

Compiled by A.R. McGILL

Acanthiza chrysorrhoa, 49, 168-179, 251
_____ *katherina*, 112
_____ *lineata*, 8, 168-179, 251
_____ *nana*, 20
_____ *pusilla*, 8, 20, 168-179, 251
_____ *reguloides*, 8, 20, 112, 168-179, 251
Acanthorhynchus tenuirostris, 113, 161, 168-179
Accipiter fasciatus, 73, 89, 113, 204
_____ *novaehollandiae*, 48, 113
Acridotheres fuscus, 84
_____ *tristis*, 127
Aerodramus fuciphagus, 217
_____ *maximus*, 220
_____ *vanikorensis*, 217
Aeronautes montivagus, 217
_____ *saxatalis*, 218
Aidemosyne modesta, 112
Ailuroedus dentirostris, 113
Aimophila carpalis, 248
Alauda arvensis, 72, 203
Alectura lathami, 108
Anas platyrhynchos, 128
_____ *superciliosa*, 83, 123
Anhinga melanogaster, 111
Anous stolidus, 56, 84
_____ *tenuirostris*, 54
Anthochaera carunculata, 168-179
Anthus novaeseelandiae, 49, 112
Aphelocephala, 14
Aphelocoma coerulescens, 131
Aplonis metallica, 113
_____ *tabuensis*, 84
Aprosmictus erythropterus, 49
Aptenodytes forsteri, 39, 113-117
_____ *patagonica*, 39
Apus affinis, 218
_____ *apus*, 218
_____ *barbatus*, 217
_____ *caffer*, 217
_____ *horus*, 218
_____ *melba*, 218
_____ *pacificus*, 218
_____ *pallidus*, 218
Aquila, 58
_____ *audax*, 50, 76
Archilochus alexandri, 184
Ardea cinerea, 127
_____ *novaehollandiae*, 111, 123
_____ *sumatrana*, 111
Ardeola ibis, 243
Arenaria interpres, 127, 145-154
Arses kaupi, 112
telescophthalmus. 2
Artamus cinereus, 104
_____ *cyanopterus*, 113, 168-179
_____ *leucorhynchus*, 113
_____ *superciliosus*, 49, 168-179
Aviceda subcrisata, 113
Barnardius barnardi, 49
_____ *zonarius*, 49
Bubo, 244
_____ *virginianus*, 125
Burhinus neglectus, 111
Buteo, 76
Cacatua galerita, 50, 112
_____ *roseicapilla*, 49
Cacomantis pyrrhophanus, 250
_____ *variolosus*, 250
Calidris acuminata, 127, 145-154
_____ *alba*, 127, 184
_____ *canutus*, 127, 145-154
_____ *ferruginea*, 127, 145-154
_____ *melanotos*, 127, 145-154
_____ *minuta*, 145-154
_____ *ruficollis*, 127, 145-154
_____ *subminuta*, 127, 145-154
_____ *tenuirostris*, 145-154
Caprimulgus aegyptius, 128
_____ *europaeus*, 128
_____ *macrurus*, 112
Carduelis carduelis, 202
_____ *chloris*, 128, 203
Catharacta antarctica, 191
_____ *maccormicki*, 191
Cathartes aura, 71
Cecropis abyssinica, 217
_____ *ariel*, 49
_____ *nigricans*, 168-179
Ceyx azureus, 112
Chaetura andrei, 221
_____ *brachyura*, 220
_____ *chapmani*, 218
_____ *cinereiventris*, 217
_____ *gigantea*, 218
_____ *pelagica*, 218
_____ *sabini*, 218
_____ *spinicauda*, 217
_____ *vauxi*, 218
Chalcophaps indica, 112
Charadrius bicinctus, 145-154
_____ *leschenaultii*, 145-154
_____ *melanops*, 49, 145-154
_____ *mongolus*, 127, 145-154
_____ *rubricollis*, 145-154
_____ *ruficapillus*, 49, 111, 145-154
_____ *veredus*, 145-154
Chlamydera nuchalis, 113
Chlidonias niger. 128
Chrysococcyx basalis, 250
_____ *caprius*, 249
_____ *cupreus*, 249
_____ *klaas*, 249
_____ *lucidus*, 175, 250
_____ *maculatus*, 249
_____ *malayanus*, 112
_____ *zanthorhynchus*, 249
Cinclorhamphus mathewsi, 49
Cinclus mexicanus, 123
Circus aeruginosus, 71-81, 120
_____ *approximans*, 50, 71
_____ *assimilis*, 204
Cladorhynchus leucocephalus, 145-154
Climacteris erythrops, 2, 131
_____ *leucophaea*, 2, 168-179
_____ *picumnus*, 8, 97, 112, 131, 168-179
Clytorhynchus vitiensis, 84
Collocalia esculenta, 217
_____ *spodiopygia*, 84, 214-227
_____ *terraereginae*, 112
Colluricincla harmonica, 8, 112, 141, 168-179
_____ *megarhyncha*, 112
Columba livia, 49
Conopophila rufogularis, 113
Coracina lineata, 112
_____ *novaehollandiae*, 168-179
_____ *tenuirostris*, 112
Coragyps atratus, 71
Corcorax melanorhamphus, 168-179
Corvus coronoides, 49, 113
_____ *mellori*, 73
_____ *orru*, 113
Coturnix pectoralis, 112
Cracticus nigrogularis, 113
_____ *quoyi*, 113
Crateroscelis gutturalis, 112
Crex crex, 127
Cuculus canorus, 249
_____ *pallidus*, 250
_____ *saturatus*, 127
Cygnus atratus, 203
Cypseloides niger, 217
_____ *rutilus*, 217
Cypsiurus parvus, 218
Dacelo gigas, 94
_____ *novaeguineae*, 162
Daphoenositta chrysoptera, 2, 108, 112, 168-179, 252
Delichon urbica, 218
Dendrocygna arcuata, 111
Dicaeum hirundinaceum, 168-179
Diomedea bulleri, 241
_____ *cauta*, 190, 242
_____ *chlororhynchos*, 242
_____ *chrysostoma*, 190, 241
_____ *epomophora*, 39, 190, 241
_____ *exulans*, 39, 190, 241
_____ *melanophrys*, 190, 241
Ducula pacifica, 84
Dupetor flavicollis, 111
Egretta sacra, 30, 83
Elanus notatus, 76, 113, 204
Emblema guttata, 168-179
_____ *temporale*, 7, 108
Eopsaltria australis, 3, 112, 168-179
_____ *pulverulenta*, 112
Erythrogonys cinctus, 145-154
Eurostopodus mystacalis,112
Eurynorhynchus pygmaeus, 127
Falco berigora, 50, 73, 204
_____ *cenchroides*, 50, 76
_____ *hypoleucos*, 47-51

_____ *longipennis*, 50, 204
_____ *peregrinus*, 48, 113, 204
_____ *subniger*, 50
Falcunculus frontatus, 2, 168-179
Foulehaio carunculata, 84
Fregata, 191
_____ *ariel*, 30
_____ *minor*, 44
Fregetta tropica, 243
Fulica atra, 74, 204
Gallinago hardwickii,145-154
_____ *megala*, 127
Gallinula mortierii, 121-122
_____ *tenebrosa*, 111, 121
_____ *ventralis*, 49
Gallirallus philippensis, 83
Gallus domesticus, 49
Gavia immer, 127
_____ *pacifica*, 127
Geopelia striata, 49, 112
Gerygone, 12-22
_____ *albofrontata*, 14
_____ *chloronota*, 14
_____ *chrysogaster*, 14
_____ *cinerea*, 14
_____ *dorsalis*, 14
_____ *flavolateralis*, 14
_____ *fusca*, 14
_____ *igata*, 14
_____ *inornata*, 14
_____ *insularis*, 14
_____ *laevigaster*, 14, 104
_____ *magnirostris*, 14, 112
_____ *modesta*, 14
_____ *mouki*, 14, 112
_____ *olivacea*, 14, 168-179, 251
_____ *palpebrosa*, 14, 107
_____ *ruficollis*, 14
_____ *sulphurea*, 14
_____ *tenebrosa*, 14
Glossopsitta pusilla, 168-179
Grallina cyanoleuca, 49, 113
Grus rubicundus, 111
Gygis alba, 84
Gymnorhina tibicen, 65-70, 104, 168-179
Haematopus fuliginosus, 111, 145-154
_____ *longirostris*, 145-154
_____ *ostralegus*,111
Halcyon chloris, 84, 112
_____ *pyrrhopygia*, 112
_____ *sancta*, 123, 175
Haliaeetus leucogaster, 28, 113
Haliastur sphenurus, 50, 73, 113, 204
Halobaena caerulea, 190, 228-238
Hamirostra melanosternon, 50
Hemignathus virens, 165
Heteralocha acutirostris, 2
Heteroscelus incanus, 83
Hieraaetus morphnoides, 50
Himantopus himantopus, 127, 145-154
Hirundapus caudacutus, 218
Hirundo neoxena, 168-179, 218
_____ *rustica*, 217
_____ *senegalensis*, 218
_____ *smithi*, 217
_____ *tahitica*, 218
Hydrobates pelagicus, 186
Hydrochous gigas, 217
Hydroprogne caspia, 128
Lalage maculosa, 84
_____ *sueurii*, 175
Larus atricilla, 30
_____ *dominicanus*, 74, 120, 191
_____ *novaehollandiae*, 23, 205
_____ *pacificus*, 191
_____ *ridibundus*, 30
Leipoa ocellata, 51-53
Lichenostomus chrysops, 7, 112, 161, 172
_____ *flavescens*, 99, 112
_____ *flavus*, 98
_____ *fuscus*, 98, 168-179
_____ *leucotis*, 8
_____ *melanops*, 108
_____ *penicillatus*, 49
_____ *unicolor*, 98
Lichmera indistincta, 112
Limicola falcinellus, 127, 145-154
Limnodromus semipalmatus, 127
Limosa lapponica, 127, 145-154
_____ *limosa*, 127, 128, 145-154
Locustella fasciolata, 249
Lonchura castaneothorax, 107
Lopholaimus antarcticus, 112
Luscinia luscinia, 128
_____ *megarhyncha*, 128
Machaerirhynchus flaviventer, 112
Macronectes giganteus, 190, 242
_____ *halli*, 190
Macropygia amboinensis, 112
Malurus cyaneus, 8, 131-138, 139-144, 168-179, 251
_____ *lamberti*, 112, 131-138
_____ *leucopterus*, 131-138
_____ *splendens*, 131, 143
Manorina flavigula, 49
Megapodius freycinet, 112
_____ *pritchardii*, 83
Meliphaga lewini, 3, 161
_____ *notata*, 112
Melithreptus albogularis, 112
_____ *brevirostris*, 168-179
_____ *gularis*, 101
_____ *lunatus*, 8, 112, 161, 168-179
Melopsittacus undulatus, 49, 112, 198
Meropogon, 59
Merops ornatus, 49, 59, 131
Microeca flavigaster, 95
_____ *leucophaea*, 95
Milvus migrans, 50, 76
Mirafra javanica, 49
Molothrus ater, 250
Monarcha melanopsis, 112
Myiagra cyanoleuca, 175
_____ *inquieta*, 95, 168-179
_____ *rubecula*, 175
Myzomela sanguinolenta, 113, 161, 168-179
Neafrus boehmi, 217
Nectarinia jugularis, 113
_____ *reichenowi*, 184
Neochmia phaeton, 104
_____ *ruficauda*, 106
Neophema chrysogaster, 195-206
_____ *elegans*, 203
Ninox connivens, 92, 113
_____ *rufa*, 113
Northiella haematogaster, 49
Numenius arquata, 156
_____ *madagascariensis*, 127, 145-154, 155-160
_____ *minutus*, 127, 145-154
_____ *phaeopus*, 127, 145-154, 157
Nyctyornis, 59
Nymphicus hollandicus, 49, 112
Oceanites oceanicus, 243
Oceanodroma castro, 186
_____ *leucorhoa*, 235
Ocyphaps lophotes, 49
Oriolus flavocinctus, 113
Orthonyx spaldingii, 112
Pachycephala pectoralis, 2-11, 84, 168-179
_____ *rufiventris*, 8, 168-179
Pachyptila, 186, 235
_____ *desolata*, 242
_____ *turtur*, 242
Pardalotus punctatus, 113, 168-179
_____ *rubricatus*, 49, 113
_____ *striatus*, 102, 168-179
Passer domesticus, 72, 113, 202
_____ *montanus*, 127
Pelagodroma marina, 235, 243
Pelecanoides, 186
_____ *georgicus*, 191
_____ *urinatrix*, 191
Peltohyas australis, 145-154
Pericrocotus cantonensis, 254
_____ *roseus*, 254
Petroica multicolor, 8, 168-179
_____ *rosea*, 175
Petrophassa plumifera, 49
_____ *scripta*, 89
Phaethon lepturus, 83
Phalacrocorax africanus, 118
_____ *auritus*, 120
_____ *carbo*, 120
_____ *coronatus*, 118
_____ *melanoleucos*, 111, 118-121
_____ *niger*,118
_____ *olivaceus*, 120
_____ *pelagicus*, 120
_____ *penicillatus*, 120
_____ *pygmaeus*, 118
_____ *sulcirostris*, 111, 120
Phalaropus lobatus, 145-154
Phaps chalcoptera, 49
_____ *histrionica*, 49
Phasianus colchicus, 127
Philemon argenticeps, 112
_____ *buceroides*, 112
_____ *corniculatus*, 112, 168-179
Philomachus pugnax, 127, 145-154
Phoebetria palpebrata, 242
Phylidonyris nigra, 113
_____ *novaehollandiae*, 161-167, 180-185
Pitta versicolor, 112
Platalea flavipes, 111
_____ *regia*, 111
Platycercus adscitus, 90
_____ *elegans*, 175

_____ *eximius*, 49, 108, 168-179
Plocepasser mahali, 139
Pluvialis dominica, 83, 127, 145-154
_____ *squatarola*, 127, 145-154
Podargus strigoides, 93
Poecilodryas albispecularis, 112
Poephila acuticauda, 104
_____ *bichenovii*, 104, 112
_____ *cincta*, 104
_____ *guttata*, 49, 61
Polytelis anthopeplus, 49
Pomatostomus isidorei, 131
_____ *temporalis*, 131, 139
Porphyrio porphyrio, 83, 111, 123
Porzana tabuensis, 83
Procellaria aequinoctialis, 191, 242
_____ *cinerea*, 242
_____ *parkinsoni*, 190
_____ *westlandica*, 191, 242
Progne chalybea, 220
Psephotus haematonotus, 49
_____ *varius*, 49
Psophodes cristatus, 21
_____ *occidentalis*, 21
Pterodroma, 186
_____ *brevipes*, 191
_____ *brevirostris*, 228-238
_____ *lessonii*, 236, 242
_____ *leucoptera*, 191, 242
_____ *macroptera*, 190, 235, 242
_____ *mollis*, 242
_____ *nigripennis*, 191
_____ *rostrata*, 190
_____ *solandri*, 242
Ptilinopus magnificus, 112
_____ *mercieri*, 125
_____ *perousii*, 84
_____ *porphyraceus*, 84
_____ *purpuratus*, 85
_____ *regina*, 112
_____ *superbus*, 112
Ptiloris victoriae, 113
Puffinus assimilis, 186, 243
_____ *carneipes*, 191
_____ *creatopus*, 235
_____ *gavia*, 191, 243
_____ *gravis*, 236
_____ *griseus*, 191, 211, 235
_____ *huttoni*, 191
_____ *pacificus*, 83, 191
_____ *puffinus*, 186
_____ *tenuirostris*, 191, 207-213, 235, 243
Pycnonotus cafer, 84
Ramsayornis fasciatus, 102
_____ *modestus*, 113, 245-248
Recurvirostra novaehollandiae, 145-154
Reinarda squamata, 218
Rhipidura fuliginosa, 7, 112, 168-179
_____ *leucophrys*, 49, 168-179
_____ *rufifrons*, 112
_____ *rufiventris*, 112
Selasphorus rufus, 59, 184
Sericornis beccarii, 108
_____ *citreogularis*, 112
_____ *frontalis*, 8, 108, 112
_____ *keri*, 112
_____ *sagittatus*, 8, 168-179, 251
Sialia sialis, 246
Smicrornis, 14
Sphecotheres viridis, 113
Stercorarius skua, 243
Sterna albifrons, 111, 192
_____ *anaethetus*, 54
_____ *bengalensis*, 23, 192
_____ *bergii*, 23-32, 54, 192
_____ *dougalli*, 191
_____ *eurygnatha*, 23
_____ *fuscata*, 56, 84
_____ *hirundo*, 31, 56, 191
_____ *maxima*, 23
_____ *nereis*, 192
_____ *paradisaea*, 31, 191
_____ *sandvicensis*, 23
_____ *striata*, 191
_____ *sumatrana*, 54
_____ *vittata*, 191
Stiltia isabella, 112, 145-154
Strepera graculina, 108, 113, 141, 162, 172
Streptopelia senegalensis, 127
Streptoprocne semicollaris, 218
_____ *zonaris*, 217
Struthidea cinerea, 49
Sturnus vulgaris, 72, 128, 204
Sula abbotti, 33-46
Surnia, 244
Surniculus lugubris, 249
Tachybaptus novaehollandiae, 111
Tachycineta albilinea, 220
Tregellasia capito, 112
Trichoglossus haematodus, 112
Tringa brevipes, 127, 145-154
_____ *glareola*, 127, 145-154
_____ *hypoleucos*, 127, 128, 145-154
_____ *nebularia*, 127, 145-154
_____ *stagnatilis*, 127, 145-154
_____ *terek*, 127, 145-154
_____ *totanus*, 127, 128, 145-154
Troglodytes aedon, 246
Turdus merula, 127, 128
_____ *philomelos*, 128
Turnix melanogaster, 104
_____ *olivii*, 108
_____ *varia*, 108
Tyto alba, 76, 84, 113, 117
_____ *capensis*, 117-118
_____ *longimembris*, 113
_____ *novaehollandiae*, 92, 117
Vanellus miles, 49, 111, 145-154
_____ *tricolor*, 145-154
Vini australis, 84
Xanthotis macleayana, 112
Xiphidiopicus, 125
Zoothera dauma, 8, 112, 127
Zosterops lateralis, 113, 168-179
_____ *lutea*, 113

ERRATA

Page 2 *Neomorpha acutirostris* should be *Heteralocha acutirostris* (*Neomorpha*, although named earlier, has been suppressed by the International Commission for Zoological Nomenclature. Opinion 514, in 1958)

Page 28 *Haliaetus leucogaster* should be *Haliaeetus leucogaster*

Page 49 *Peophila guttata* should be *Poephila guttata*

Page 49 *Ancanthiza chrysorrhoa* should be *Acanthiza chrysorrhoa*

Page 117 Heading should be *Tyto capensis longimembris*

Page 131 *Pomatostomus isidori* should be *Pomatostomus isidorei*

Page 190 *Halobaena caerula* should be *Halobaena caerulea*

Page 217 *Cecropis abysinica* should be *Cecropis abyssinica*